


8 Step Guide: Perfect Pasting with Home Flair Decor

Butt up the wallpaper length to the top & the left edges of the paste table.

Note. The table is wider than your standard roll of wallpaper


From Above:



Apply adhesive using a brush or roller.

Spread the adhesive from the center of the wallpaper using outwards motions, make sure you evenly coat right to the edge A and $\frac{3}{4}$ of the way down the left side B.


From Above:



Slide the wallpaper towards you butting up to the front edge of the table C and keeping up to the left side B.


Continue to paste the last $\frac{1}{4}$ of the left edge B and along the front edge D using outwards motions.

From Above:




Fold the now pasted wallpaper on to itself so you have pasted side to pasted side contact.

From Front:



Slide the folded end to the left until the unpasted end is fully on the decorating table, ideally with no more hanging over the right side **D**.


From Above:



Slide the wallpaper up to the top of the table **A** to butt this edge ready to complete the pasting.

Continue to cover the top area **A** and the $\frac{3}{4}$ of the right edge **D** evenly with paste


From Above:



To finish pasting this length, slide the wallpaper towards you until this butts up to the front edge **A** and along the right edge **D**.

Finish applying the adhesive using an outwards motion from the centre of the length to the end on the right **D** and front edges **C**


From Above:



Finally fold this end of the length onto itself with the pasted side touching the pasted side again. Now you must allow some time for the wallpaper to absorb some adhesive and swell. This time is often stated on the roll label.


Note. This length can be folded onto itself for more convenient handling.

From Above:



If you see the seam edges of the wallpaper curling and separating, you can roll the wallcovering together from ends to middle whilst the soaking time is observed.

Note. If it is a hot day, place your folded or rolled pasted wallpaper length into a plastic bag during the soaking period to reduce the adhesive evaporating.



Always observe the soaking time and ensure this is maintained for each length you will hang.

